

OFFICE OF NAVAL RESEARCH

Grant or Contract GN0001493310058

96PR02310

Technical Report No. 4

**Segment Length Distributions from Thick Polymer Films:
ToF-SIMS of Polymer Surface Structure**

by

H.-Z. Zhuang, J. A. Gardella, Jr. and D. M. Hercules

Prepared for Publication

in

Secondary Ion Mass Spectrometry X

**State University of New York at Buffalo
Department of Chemistry
Buffalo, NY**


in press October 1996

**Reproduction in whole or in part is permitted for any purpose of the
United States Government.**

**This document has been approved for public release and sale;
its distribution is unlimited.**

19960903 037

DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
<small>Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.</small>				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE August 1996	3. REPORT TYPE AND DATES COVERED Technical	
4. TITLE AND SUBTITLE Segment Length Distributions from Thick Polymer Films: ToF-SIMS of Polymer Surface Structure			5. FUNDING NUMBERS GN0001493310058	
6. AUTHOR(S) H.-Z. Zhuang, J. A. Gardella, Jr. and D. M. Hercules				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Department of Chemistry, NSM Complex State University of New York, University at Buffalo Buffalo, NY 14260-3000			8. PERFORMING ORGANIZATION REPORT NUMBER 96-04	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Department of the Navy, Office of Naval Research 800 North Quincy Street, Arlington, VA 22217-5660			10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT This document has been approved for public release and sale, its distribution is unlimited.			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) Over the past fifteen years, the use of ESCA and infrared techniques have made great strides in relating the differences between polymer surface composition and structure and the bulk composition and structure. Much has been learned about the role of synthetic structural design and the role of processing variations and the resulting surface structure and composition of polymers. Yet, a quantitative description of segment length distribution at the surface of a multicomponent polymer remains elusive. Since, fundamentally, polymers involve a distribution of chain lengths which yield the particular properties, it would be desirable to know whether, at the surface, the distribution of segment or chain lengths is different than in the bulk. Therefore, like composition, the surface structure can lead to properties different than that predicted by the simple knowledge of the bulk structure, in this case representing the segment length distribution.				
14. SUBJECT TERMS			15. NUMBER OF PAGES 4	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT UL	

Segment Length Distributions from Thick Polymer Films: ToF-SIMS of Polymer Surface Structure

H.-Z. Zhuang¹, J. A. Gardella, Jr., D. M. Hercules²


¹Department of Chemistry, SUNY Buffalo
Buffalo, NY 14260-3000 USA

²Department of Chemistry, Box 1822
Vanderbilt University, Nashville, TN 37235 USA

Keywords: Surface Analysis, ToF Analyzer, Thick Films,
Segment Length Distributions, Fragmentation

Over the past fifteen years, the use of ESCA and infrared techniques have made great strides in relating the differences between polymer surface composition and structure and the bulk composition and structure. Much has been learned about the role of synthetic structural design and the role of processing variations and the resulting surface structure and composition of polymers. Yet, a quantitative description of segment length distribution at the surface of a multicomponent polymer remains elusive. Since, fundamentally, polymers involve a distribution of chain lengths which yield the particular properties, it would be desirable to know whether, at the surface, the distribution of segment or chain lengths is different than in the bulk. Therefore, like composition, the surface structure can lead to properties different than that predicted by the simple knowledge of the bulk structure, in this case representing the segment length distribution.

The present work will report results from the surface chemistry of a new class of poly dimethyl siloxane-urethane segmented copolymers [1], having the following molecular structure.




The ESCA analysis of the surface chemistry of these materials has been reported in the earlier work [2]. The ToF-SIMS results yielded some important fundamental new information.

We first analyzed, as references, submonolayer preparations of the difunctional prepolymer PDMS, using silver as a substrate. In Figure 1(a), the

spectrum of PDMS (MW=1000) on Ag, four repeating ion series are detected, the last is a Ag cationized oligomer. The latter series yields the molecular weight distribution, as shown in Figure 2(a).

Normally, the analysis of polymer films which are thick, and therefore representative of coatings involves sufficient chain entanglement and intrachain interactions so as to mediate against high mass ions being generated [3]. In this case, however, the volatility of the siloxane segment makes it a prime candidate for generation of fragment ions from the surface, despite solid state effects. We successfully measured such high mass distributions from two different copolymers, where the segment length distribution of the siloxanes was varied by using different PDMS prepolymers [1]. In particular, polymers with average PDMS molecular weights of 1000 and 2400 were subjected to analysis, in the form of a solvent cast thick (ca. 50 μ m) films. High mass ToF-SIMS results are shown in Figures 1(b) and (c). These ions were assigned to the structure series given below, with masses ranging from 1156 to 2118 Dalton.




The resulting PDMS segment length distribution can be obtained because these fragments contain the intact DMS block. Figures 2(a), (b) and (c) shows a comparison of the MW distribution obtained from the PDMS oligomer (MW=1000) to the segment length distributions obtained from analysis of data in Figures 1(b) and (c). It is evident that the change in molecular weight of the DMS does not change the distribution of PDMS segment lengths at the surface of the material. This means that the surface of the polymer synthesized with nominal molecular weight 2400 should not have different properties expected from the longer PDMS segments.

References:


- [1] T. Ho, K. J. Wynne and R. A. Nissan, *Macromolecules*, **1993**, 26, 7029-7036.
- [2] X. Chen, J. A. Gardella, Jr. T. Ho and K. J. Wynne, *Macromolecules*, **1995**, 28, 1635-1642.
- [3] I. V. Bletsos, D. M. Hercules, J. H. Magil, D. van Leyen, E. Niehuis and A. Benninghoven, *Anal. Chem.* **1988**, 60, 938.

Figure 1

(a) ToF-SIMS spectrum for the submonolayer film of PDMS 1000 on Ag.



(b) ToF-SIMS spectrum for the thick film of PU-DMS No.1 on Al in the range of 1000-2500 m/z.



(c) ToF-SIMS spectrum for the thick film of PU-DMS No.3 on Al in the range of 900-2500 m/z.






Figure 2


(a) Molecular weight distribution of PDMS 1000 (submonolayer film on Ag).



(b) Molecular weight distribution of PDMS segments segregated at the surface of the thick film of PU-DMS No.1.



(c) Molecular weight distribution of PDMS segments segregated at the surface of the thick film of PU-DMS No.3.



GRAN NO: N00014-93-1-0058

Joseph
GardellaATTACHMENT NUMBER 2REPORTS AND REPORTS DISTRIBUTIONREPORT TYPES

- (a) Performance (Technical) Report(s) (Include letter report(s))
Frequency: As Requested
- (b) Final Technical Report, issued at completion of Grant.
- (c) Final Financial Status Report (SF 269)

REPORTS DISTRIBUTION

<u>ADDRESSEES</u>	<u>REPORT TYPES</u>	<u>NUMBER OF COPIES</u>
Scientific Officer Code: 1113PO Kenneth J. Wynne Office of Naval Research 800 North Quincy Street Arlington, Virginia 22217-5000	(a) & (b)	3
Administrative Grants Officer Office of Naval Research Resident Representative N62927 Administrative Contracting Officer 33 Third Avenue - Lower Level New York, NY 10003-9998	(a) & (b) & (c)	1
Director, Naval Research Laboratory Attn: Code 2627 Washington, DC 20375	(a) & (b)	1
Defense Technical Information Center Building 5, Cameron Station Alexandria, Virginia 22304-6145	(a) & (b)	

8725 John Klingman Road², STE 0944
Ft. Belvoir, VA 22060-6218

If the Scientific Officer directs, the Grantee shall make additional distribution of technical reports in accordance with a supplemental distribution list provided by the Scientific Officer. The supplemental distribution list shall not exceed 250 addresses.

#1